Recent Searches

Close window | Help

Add terms to your search using: AND

AND 🔽

((replicat* or duplicat* or copy*) and (database) and (collision* or colliding or lock*)
 AND PDN(<12/31/2002)

20 results Add to Search Set up Alert

Database: ProQuest Dissertations and Theses - Full Text

Look for terms in : Citation and abstract Publication type : All publication types

2. ((replicat* or duplicat* or copy*) and (database) and (collision* or colliding or lock*)) AND PDN(<12/31/2002)

esults Add to Search
Set up Alert

Database: ProQuest Dissertations and Theses - Full Text

Look for terms in : Citation and abstract Publication type : All publication types

 (((replicat* or duplicat* or copy*) w/5 object) and (database) and (collision* or colliding or lock*)) AND PDN(<12/31/2002) 0 result Add to Search
Set up Alert

Database: ProQuest Dissertations and Theses - Full Text

Look for terms in : Citation and abstract Publication type : All publication types

Close window | Help


circled = red

Circled = red

Sent results

Sent

5/18/05 10:27 AM



Result # 1 Relevance: OOOOO



Report of the IAB Workshop on Internet Information Infrastructure, October 12-14, 1994 (RFC1862)

13-Sep-2000

IPCOM000004118D

English (United States)

This document is a report on an Internet architecture workshop, initiated by the IAB and held at MCI on October 12-14, 1994. This workshop generally focused on aspects of the information infrastructure on the Internet.

Result # 2 Relevance: OOOOO



Referral Whois (RWhois) Protocol V1.5 (RFC2167)

13-Sep-2000

IPCOM000002724D

English (United States)

This memo describes Version 1.5 of the client/server interaction of RWhois. RWhois provides a distributed system for the discovery, retrieval, and maintenance of directory information. This system is primarily hierarchical by design. It allows for the deterministic routing ...

Result # 3 Relevance: OOOOO



Maintenance of duplicate databases (RFC0677)

13-Sep-2000

IPCOM000003727D

English (United States)

There are a number of motivations for maintaining redundant, duplicate copies of databases in a distributed network environment. Two important motivations are:

Result # 4 Relevance: OOOOS



Domain names: Implementation specification (RFC0883)

13-Sep-2000

IPCOM000003932D

English (United States)

Overview

Result # 5 Relevance: OOO



Internet Security Glossary (RFC2828)

13-Sep-2000

IPCOM000003426D

English (United States)

This Glossary (191 pages of definitions and 13 pages of references) provides abbreviations, explanations, and recommendations for use of information system security terminology. The intent is to improve the comprehensibility of writing that deals with Internet security, ...

Result # 6 Relevance: OOO 35



DASS - Distributed Authentication Security Service (RFC1507)

12-Sep-2000

IPCOM000002336D

English (United States)

1.1 What is DASS?

Result # 7 Relevance: OCO



Routing Policy System Replication (RFC2769)

13-Sep-2000

IPCOM000003367D

English (United States)

The RIPE database specifications and RPSL define languages used as the basis for representing information in a routing policy system. A repository for routing policy system information is known as a routing registry. A routing registry provides a means of exchanging ...

Result # 8 Relevance: OCO



Guide to Network Resource Tools (RFC1580)

12-Sep-2000

IPCOM000002414D

English (United States)

As the worldwide academic computer network grows and expands far beyond its previous confines, so the resources and services available on the network evolve and multiply at a dizzying rate. The typical user is hardpressed to keep up with this explosive growth. Fortunately, a ...

Result # 9 Relevance: OOCO



Instructions to RFC Authors (RFC2223)

13-Sep-2000

IPCOM000002781D

English (United States)

This Request for Comments (RFC) provides information about the preparation of RFCs, and certain policies relating to the publication of RFCs.

Result # 10 Relevance: 〇〇つつつ



Routing Policy System Security (RFC2725)

13-Sep-2000

IPCOM000003320D

English (United States)

The RIPE database specifications and RPSL language define languages used as the basis for representing information in a routing policy system. A repository for routing policy system information is known as a routing registry. A routing registry provides a means of ...

Displaying page 1 of 6 < BACK | NEXT >

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001

Before:

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement



Securing innovation

May 18, 2005

Search	Displaying records #11 through 20 out of 58
Full Text	
Concept	
Document ID	
Recent Disclosures	
Publish	
Publish Disclosure	
My IP.com	
Manage Account	
Prior Purchases	
Prior Disclosures	
Events	
Main Page	
Support	
Logout	

Fingerprint Lookup



Result # 11 Relevance: OO



Extending OSPF to Support Demand Circuits (RFC1793)

13-Sep-2000

IPCOM000004047D

English (United States)

This memo defines enhancements to the OSPF protocol that allow efficient operation over "demand circuits". Demand circuits are network segments whose costs vary with usage; charges can be based both on connect time and on bytes/packets transmitted. Examples of ...

Result # 12 Relevance: OO SGC



Internet X.509 Public Key Infrastructure Certificate and CRL Profile (RFC2459)

13-Sep-2000

IPCOM000003037D

English (United States)

This memo profiles the X.509 v3 certificate and X.509 v2 CRL for use in the Internet. An overview of the approach and model are provided as an introduction. The X.509 v3 certificate format is described in detail, with additional information regarding the format and

Result # 13 Relevance: OOSSS



Server Cache Synchronization Protocol (SCSP) (RFC2334)

13-Sep-2000

IPCOM000002902D

English (United States)

This document describes the Server Cache Synchronization Protocol (SCSP) and is written in terms of SCSP's use within Non Broadcast Multiple Access (NBMA) networks; although, a somewhat straight forward usage is applicable to BMA networks. SCSP attempts to solve the ...

Result # 14 Relevance: OO



SPKI Certificate Theory (RFC2693)

13-Sep-2000

IPCOM000003286D

English (United States)

The SPKI Working Group has developed a standard form for digital certificates whose main purpose is authorization rather than authentication. These structures bind either names or explicit authorizations to keys or other objects. The binding to a key can be directly to an ...

Result # 15 Relevance: OOSS



The Kerberos Network Authentication Service (V5) (RFC1510)

12-Sep-2000

IPCOM000002340D

English (United States)

This document gives an overview and specification of Version 5 of the protocol for the Kerberos network authentication system. Version 4, described elsewhere [1,2], is presently in production use at MIT's Project Athena, and at other Internet sites.

Result # 16 Re

Relevance: 👀 😂



Site Security Handbook (RFC1244)

12-Sep-2000

IPCOM000002060D

English (United States)

1.1 Purpose of this Work

Result # 17

Relevance: OO S



IP and ARP over HIPPI-6400 (GSN) (RFC2835)

13-Sep-2000

IPCOM000003434D

English (United States)

The ANSI T11.1 task force has standardized HIPPI-6400 also known as Gigabyte System Network (GSN), a physical-level, point-to-point, full-duplex, link interface for reliable, flow-controlled, transmission of user data at 6400 Mbit/s, per direction. A parallel copper cable ...

Result # 18

Relevance: OO(こう)



The CCSO Nameserver (Ph) Architecture (RFC2378)

13-Sep-2000

IPCOM000002949D

English (United States)

The Ph Nameserver from the Computing and Communications Services Office (CCSO), University of Illinois at Urbana-Champaign has for some time now been used by several organizations as their choice of publicly available database for information about people as well as other ...

Result # 19 Relevance: OO いい



Cisco Layer Two Forwarding (Protocol) "L2F" (RFC2341)

13-Sep-2000

IPCOM000002910D

English (United States)

Virtual dial-up allows many separate and autonomous protocol domains to share common access infrastructure including modems, Access Servers, and ISDN routers. Previous RFCs have specified protocols for supporting IP dial-up via SLIP [1] and multiprotocol dial-up via PPP ...

Result # 20 Relevance: COSS



Internet Relay Chat: Server Protocol (RFC2813)

13-Sep-2000

IPCOM000003412D

English (United States) While based on the client-server model, the IRC (Internet Relay Chat) protocol allows servers to connect to each other effectively forming a network.

Displaying page 2 of 6 < BACK | NEXT >

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001

Before:

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement

#Lookup



Securing innovation

May 18, 2005	USPTO
Search	Displaying records #21 through 30 out of 58
Full Text	
Concept	
Document ID	
Recent Disclosures	
Publish	
Publish Disclosure	
My IP.com	
Manage Account	
Prior Purchases	
Prior Disclosures	
Events	
Main Page	
Support	

Result # 21 Relevance: OO



Assigned Numbers (RFC1700)

12-Sep-2000

IPCOM000002539D

English (United States)

The files in this directory document the currently assigned values for several series of numbers used in network protocol implementations.

Result # 22 Relevance: OOご



RTP: A Transport Protocol for Real-Time Applications (RFC1889)

13-Sep-2000

IPCOM000004144D

English (United States)

This memorandum describes RTP, the real-time transport protocol. RTP provides end-to-end network transport functions suitable for applications transmitting real-time data, such as audio, video or simulation data, over multicast or unicast network services. RTP does not ...

Result # 23 Relevance: OOCO



Internet Relay Chat: Channel Management (RFC2811)

13-Sep-2000

IPCOM000003410D

English (United States)

One of the most notable characteristics of the IRC (Internet Relay Chat) protocol is to allow for users to be grouped in forums, called channels, providing a mean for multiple users to communicate together.

Result # 24 Relevance: OO



Experimental Internet Stream Protocol: Version 2 (ST-II) (RFC1190)

12-Sep-2000

IPCOM000002003D

English (United States)

This memo defines the Internet Stream Protocol, Version 2 (ST-II), an IP-layer protocol that provides end-to-end guaranteed service across an internet. This specification obsoletes IEN 119 "ST - A Proposed Internet Stream Protocol" written by Jim Forgie in 1979, ...

Result # 25 Relevance: OO



SPKI Requirements (RFC2692)

13-Sep-2000

IPCOM000003285D

English (United States)

The IETF Simple Public Key Infrastructure [SPKI] Working Group is tasked with producing a certificate structure and operating procedure to meet the needs of the Internet community for trust management in as easy, simple and extensible a way as possible.

Result # 26 Relevance: OO



A Framework for Integrated Services Over Shared and Switched IEEE 802 LAN Technologies (RFC2816)

13-Sep-2000

IPCOM000003415D

English (United States)

This memo describes a framework for supporting IETF Integrated Services on shared and switched LAN infrastructure. It includes background material on the capabilities of IEEE 802 like networks with regard to parameters that affect Integrated Services such as access latency, ...

Result # 27 Relevance: OO 200



Request for Comments Summary RFC Numbers 2500-2599 (RFC2599)

13-Sep-2000

IPCOM000003186D

English (United States)

objects, their attributes, and their operations that is independent of encoding and transport. This document also addresses security, internationalization, and directory issues. This memo defines an Experimental Protocol for the Internet community.

Result # 28 Relevance: OO こう



Further datalanguage design concepts (RFC0610)

13-Sep-2000

IPCOM000003683D

English (United States)

1.1 The Datacomputer System

Result # 29 Relevance: **QO**



The Internet and the Millennium Problem (Year 2000) (RFC2626)

13-Sep-2000

IPCOM000003213D

English (United States)

The Year 2000 Working Group (WG) has conducted an investigation into the millennium problem as it regards Internet related protocols. This investigation only targeted the protocols as documented in the Request For Comments Series (RFCs). This investigation discovered little ...

Result # 30 Relevance: CO



Internet Calendaring and Scheduling Core Object Specification (iCalendar) (RFC2445)

13-Sep-2000

IPCOM000003023D

English (United States)

There is a clear need to provide and deploy interoperable calendaring and scheduling services for the Internet. Current group scheduling and Personal Information Management (PIM) products are being extended for use across the Internet, today, in

proprietary ways. This memo ...

Displaying page 3 of 6 \leq BACK | NEXT \geq

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001

Before:

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement



Securing innovation

- 10 200F	USPTO
May 18, 2005	
Search	Displaying records #31 through 40 out of 58
Full Text	
Concept	
Document ID	
Recent Disclosures	
Publish	
Publish Disclosure	
My IP.com	
Manage Account	
Prior Purchases	
Prior Disclosures	•
Events	
Main Page	
Support	
Logout	

Fingerprint Lookup



Result # 31

Relevance: OO 3000



NSI Registry Registrar Protocol (RRP) Version 1.1.0 (RFC2832)

13-Sep-2000

IPCOM000003431D

English (United States)

This document describes a protocol for the registration and management of second level domain names and associated name servers in both generic Top Level Domains (gTLDs) and country code Top Level Domains (ccTLDs). This protocol was developed by the Network Solutions ...

Result # 32 Relevance: OOCA



Wireless Device Configuration (OTASP/OTAPA) via ACAP (RFC2604)

13-Sep-2000

IPCOM000003191D

English (United States)

Wireless carriers today are faced with creating more efficient distribution channels, increasing customer satisfaction, while also improving margin and profitability. Industry trends are pushing the sale of handsets further into the retail channel. The cost and effort of ...

Result # 33 Relevance: OOSSS



PF_KEY Key Management API, Version 2 (RFC2367)

13-Sep-2000

IPCOM000002938D

English (United States)

A generic key management API that can be used not only for IP Security [Atk95a] [Atk95b] [Atk95c] but also for other network security services is presented in this document. Version 1 of this API was implemented inside 4.4-Lite BSD as part of the U. S. Naval Research ...

Result # 34 Relevance: OO



Interactive Mail Access Protocol: Version 3 (RFC1203)

12-Sep-2000

IPCOM000002017D

English (United States)

The intent of the Interactive Mail Access Protocol, Version 3 (IMAP3) is to allow a (possibly unreliable) workstation or similar machine to access electronic mail from a reliable mailbox server in an efficient manner.

Result # 35 Relevance: O



A One-Time Password System (RFC2289)

13-Sep-2000

IPCOM000002851D

English (United States)

This document describes a one-time password authentication system (OTP). The system provides authentication for system access (login) and other applications requiring authentication that is secure against passive attacks based on replaying captured reusable passwords. OTP ...

Result # 36 Relevance: OCACO



Resource ReSerVation Protocol (RSVP) -- Version 1 Functional Specification (RFC2205)

13-Sep-2000

IPCOM000002763D

English (United States)

This memo describes version 1 of RSVP, a resource reservation setup protocol designed for an integrated services Internet. RSVP provides receiver-initiated setup of resource reservations for multicast or unicast data flows, with good scaling and robustness properties.

Result # 37 Relevance: Of Action 1



Application Management MIB (RFC2564)

13-Sep-2000

IPCOM000003151D

English (United States)

This memo defines a standards track portion of the Management Information Base (MIB) for use with network management protocols in the Internet Community. In particular, it defines objects used for the management of applications. This MIB complements the System Application ...

Result # 38 Relevance: OCOCO



Request for Comments Summary (RFC2399)

13-Sep-2000

IPCOM000002972D

English (United States)

RFC Numbers 2300-2399

Result # 39 Relevance: October



Internet Relay Chat Protocol (RFC1459)

12-Sep-2000

IPCOM000002287D /

English (United States)

The IRC protocol was developed over the last 4 years since it was first implemented as a means for users on a BBS to chat amongst themselves. Now it supports a world-wide network of servers and clients, and is stringing to cope with growth. Over the past 2 years, the ...

Result # 40 Relevance: O つつ



Internet Protocol on Network Syst HYPERchannel: Protocol specificat

(RFC1044)

12-Sep-2000

IPCOM000001850D

English (United States)

STATUS OF THIS MEMO

Displaying page 4 of 6 \leq BACK | NEXT \geq

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001

Before:

Deloie

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement



Securing innovation

May 18, 2005	
Search	Displaying records #41 through 50 out of
Full Text	
Concept	
Document ID	
Recent Disclosures	
Publish	
Publish Disclosure	
My IP.com	
Manage Account	
Prior Purchases	
Prior Disclosures	
Events	
Main Page	

Support Logout

Fingerprint Lookup

Lookup

Result # 41 Re

Relevance: OCCC



Definitions of Managed Objects for IEEE 802.3 Repeater Devices using SMIv2 (RFC2108)

13-Sep-2000

IPCOM000004277D

English (United States)

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it defines objects for managing IEEE 802.3 10 and 100 Mb/second baseband repeaters based on IEEE Std 802.3 Section 30, ...

Result # 42 Relevance: O こうこう



Internet Users' Glossary (RFC1392)

12-Sep-2000

IPCOM000002216D

English (United States)

There are many networking glossaries in existence. This glossary concentrates on terms which are specific to the Internet. Naturally, there are entries for some basic terms and acronyms because other entries refer to them.

Result # 43 Relevance: O Relevance



Internet Users' Glossary (RFC1983)

13-Sep-2000

IPCOM000004200D

English (United States)

There are many networking glossaries in existence. This glossary concentrates on terms which are specific to the Internet. Naturally, there are entries for some basic terms and acronyms because other entries refer to them.

Result # 44 Relevance: OSSSS



EDI Meets the Internet Frequently Asked Questions about Electronic Data Interchange (EDI) on the Internet (RFC1865)

13-Sep-2000

IPCOM000004121D

English (United States)

This memo is targeted towards the EDI community that is unfamiliar with the Internet, including EDI software developers, users, and service providers. The memo introduces the Internet and assumes a basic knowledge of EDI.

Result # 45 Relevance: O Relevance



TCP/IP tutorial (RFC1180)

12-Sep-2000

IPCOM000001993D

English (United States)

This tutorial contains only one view of the salient points of TCP/IP, and therefore it is the "bare bones" of TCP/IP technology. It omits the history of

development and funding, the business case for its use, and its future as compared to ISO OSI. Indeed, a great ...

Result # 46 Relevance: OCCO



FYI on Questions and Answers - Answers to Commonly asked "New Internet User" Questions (RFC1594)

12-Sep-2000

IPCOM000002428D

English (United States)

This FYI RFC is one of two FYI's called, "Questions and Answers" (Q/A), produced by the User Services Working Group of the Internet Engineering Task Force (IETF). The goal is to document the most commonly asked questions and answers in the Internet.

Result # 47 Relevance: O いるい



HEMS monitoring and control language (RFC1076)

12-Sep-2000

IPCOM000001885D

English (United States)

This RFC specifies the design of a general-purpose, yet efficient, monitoring and control language for managing network entities. The data in the entity is modeled as a hierarchy and specific items are named by giving the path from the root of the tree. Most items are ...

Result # 48 Relevance: OSSSS



ATM Signaling Support for IP over ATM (RFC1755)

12-Sep-2000

IPCOM000004005D

English (United States)

This memo describes the ATM call control signaling exchanges needed to support Classical IP over ATM implementations as described in RFC 1577 [LAUB94]. ATM endpoints will incorporate ATM signaling services as specified in the ATM Forum User-Network Interface (UNI) ...

Result # 49 Relevance: OCOCO



RPC: Remote Procedure Call Protocol specification: Version 2 (RFC1057)

12-Sep-2000

IPCOM000001864D

English (United States)

This document specifies version two of the message protocol used in Sun's Remote Procedure Call (RPC) package. The message protocol is specified with the eXternal Data Representation (XDR) language [9]. This document assumes that the reader is familiar with XDR. It does ...

Result # 50 Relevance: 〇〇〇〇〇



An Extension to HTTP: Digest Access **Authentication (RFC2069)**

13-Sep-2000

IPCOM000002620D

English (United States)

The protocol referred to as "HTTP/1.0" includes the specification for a Basic Access Authentication scheme. This scheme is not considered to be a secure method of user authentication, as the user name and password are passed over the network as clear text. A

Displaying page 5 of 6 < BACK | NEXT >

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001 Before:

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement



Securing innovation

May 18, 2005

Search	Displaying records #51 through 58 out of
Full Text	
Concept	
Document ID	
Recent Disclosures	
Publish	
Publish Disclosure	
My IP.com	•
Manage Account	
Prior Purchases	
Prior Disclosures	
Events	
Main Page	

Fingerprint Lookup



Support Logout Result # 51 Relevance: OCCAS



IPng Requirements: A Cable Television Industry Viewpoint (RFC1686)

12-Sep-2000

IPCOM000002524D

English (United States)

This document was submitted to the IETF IPng area in response to RFC 1550. Publication of this document does not imply acceptance by the IPng area of any ideas expressed within. The statements in this paper are intended as input to the technical discussions within IETF, ...

Result # 52 Relevance: 〇〇〇〇〇



Instructions to RFC Authors (RFC1543)

12-Sep-2000

IPCOM000002375D

English (United States)

This Request for Comments (RFC) provides information about the preparation of RFCs, and certain policies relating to the publication of RFCs.

Result # 53 Relevance: OCASS



FTP-FTAM Gateway Specification (RFC1415)

12-Sep-2000

IPCOM000002241D

English (United States)

This memo describes a dual protocol stack application layer gateway that performs protocol translation, in an interactive environment, between the FTP and FTAM file transfer protocols.

Result # 54 Relevance: O



Towards the Future Internet Architecture (RFC1287)

12-Sep-2000

IPCOM000002106D

English (United States)

1.1 The Internet Architecture

Result # 55 Relevance: OCCAN



Request for Comments Summary RFC Numbers 1700-1799 (RFC1799)

13-Sep-2000

IPCOM000004053D

English (United States)

RFC Numbers 1700-1799

Result # 56 Relevance: O いんない



Security Label Framework for the Internet (RFC1457)

12-Sep-2000

IPCOM000002285D

English (United States)

This memo presents a security labeling framework for the Internet. The framework is intended to help protocol designers determine what, if any, security labeling should be supported by their protocols. The framework should also help network architects determine whether or ...

Result # 57 Relevance: OCCO



RPC: Remote Procedure Call Protocol specification (RFC1050)

12-Sep-2000

IPCOM000001857D

English (United States)

This document specifies a message protocol used in implementing Sun's Remote Procedure Call (RPC) package. The message protocol is specified with the eXternal Data Representation (XDR) language [9]. This document assumes that the reader is familiar with XDR. It does not ...

Result # 58 Relevance: OGGCO



A One-Time Password System (RFC1938)

13-Sep-2000

IPCOM000004243D

English (United States)

This document describes a one-time password authentication system (OTP). The system provides authentication for system access (login) and other applications requiring authentication that is secure against passive attacks based on replaying captured reusable passwords. OTP ...

Displaying page 6 of 6 < BACK | NEXT >

Search (collision or colliding or lock or locking) and (database) query: and (replicat* or duplicat* or copy* or private or local)

Published 1-24-2001

Before:

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserved. | Privacy Statement